

AD-A092 498


DECISIONS AND DESIGNS INC MCLEAN VA  
DECISION FLEXIBILITY IN A LEARNING ENVIRONMENT.(U)  
DEC 78 M W MERKHOFFER, W M SAADE

F/B 5/10

N00014-78-C-0100  
NL

UNCLASSIFIED

1 of 1  
25/10/78



END

DATE

FILED

1 1978

DTIC

AD A092498

(1)

6  
1

# DECISION FLEXIBILITY IN A LEARNING ENVIRONMENT

Final Report

Dec 1978

1241

10

By Miley W./Merkhofer  
William M./Saade

DTIC  
ELECTE  
DEC 3 1980

Prepared for:

Defense Advanced Research Projects Agency  
Arlington, Virginia

Under subcontract from Decisions and Designs, Inc.  
McLean, Virginia

SRI Project 7078

(5) NO. 12-1-1-11

DISTRIBUTION STATEMENT A  
Approved for public release:  
Distribution Unlimited

Decisions and Designs 7201 052  
80  
370 664

|   |  |  |    |  |
|---|--|--|----|--|
| <b>REPORT DOCUMENTATION PAGE</b>  |  | 1. REPORT NO.<br><i>AD-A092 498</i>              | 2. | 3. Recipient's Accession No.                                       |
| 4. Title and Subtitle<br><br>Decision Flexibility in a Learning Environment   |  |  |    | 5. Report Date<br>December 1978                                    |
| 7. Author(s)<br>Miley W. Merkhofer<br>William M. Saade  |  |  |    | 6.   |
| 9. Performing Organization Name and Address<br><br>SRI International<br>333 Ravenswood Avenue<br>Menlo Park, CA 94025   |  |  |    | 8. Performing Organization Rept. No.<br>7078                       |
| 12. Sponsoring Organization Name and Address<br><br>Defense Advanced Research Projects Agency<br>Cybernetics Technology Division<br>1400 Wilson Blvd., Arlington, Virginia 22209  |  |  |    | 10. Project/Task/Work Unit No.                                     |
|   |  |  |    | 11. Contract(C) or Grant(G) No.<br>(C) ONR-N00014-78-C-0100<br>(G) |
|   |  |  |    | 13. Type of Report & Period Covered<br><br>Technical               |
| 15. Supplementary Notes   |  |  |    | 14.  |
| 16. Abstract (Limit: 200 words)<br><br>A problem example is analyzed with the object of identifying the characteristics of a decision environment that influence the choice of decision flexibility. The results support a growing concern that current methods of analysis tend to produce plans that are insufficiently flexible. A sensitivity analysis clarifies how the desired level of flexibility depends on uncertainty, information, the cost of retaining flexibility, and the cost of decision error. Procedures are suggested for modifying current methods of analysis to account more accurately for the value of flexibility. |  |  |    |  |
| 17. Document Analysis a. Descriptors  |  |  |    |  |
| b. Identifiers/Open-Ended Terms<br><br>decision flexibility, versatility, decision analysis, decision making  |  |  |    |  |
| c. COSATI Field/Group   |  |  |    |  |
| 18. Availability Statement:<br><br>Release Unlimited  |  | 19. Security Class (This Report)<br>Unclassified |    | 21. No. of Pages<br>42   |
|   |  | 20. Security Class (This Page)<br>Unclassified   |    | 22. Price  |

## DO NOT PRINT THESE INSTRUCTIONS AS A PAGE IN A REPORT

### INSTRUCTIONS

Optional Form 272, Report Documentation Page is based on Guidelines for Format and Production of Scientific and Technical Reports, ANSI Z39.18-1974 available from American National Standards Institute, 1430 Broadway, New York, New York 10018. Each separately bound report—for example, each volume in a multivolume set—shall have its unique Report Documentation Page.

1. Report Number. Each individually bound report shall carry a unique alphanumeric designation assigned by the performing organization or provided by the sponsoring organization in accordance with American National Standard ANSI Z39.23-1974, Technical Report Number (STRN). For registration of report code, contact NTIS Report Number Clearinghouse, Springfield, VA 22161. Use uppercase letters, Arabic numerals, slashes, and hyphens only, as in the following examples: FASEB/NS-75/87 and FAA/RD-75/09.
2. Leave blank.
3. Recipient's Accession Number. Reserved for use by each report recipient.
4. Title and Subtitle. Title should indicate clearly and briefly the subject coverage of the report, subordinate subtitle to the main title. When a report is prepared in more than one volume, repeat the primary title, add volume number and include subtitle for the specific volume.
5. Report Date. Each report shall carry a date indicating at least month and year. Indicate the basis on which it was selected (e.g., date of issue, date of approval, date of preparation, date published).
6. Sponsoring Agency Code. Leave blank.
7. Author(s). Give name(s) in conventional order (e.g., John R. Doe, or J. Robert Doe). List author's affiliation if it differs from the performing organization.
8. Performing Organization Report Number. Insert if performing organization wishes to assign this number.
9. Performing Organization Name and Mailing Address. Give name, street, city, state, and ZIP code. List no more than two levels of an organizational hierarchy. Display the name of the organization exactly as it should appear in Government indexes such as Government Reports Announcements & Index (GRA & I).
10. Project/Task/Work Unit Number. Use the project, task and work unit numbers under which the report was prepared.
11. Contract/Grant Number. Insert contract or grant number under which report was prepared.
12. Sponsoring Agency Name and Mailing Address. Include ZIP code. Cite main sponsors.
13. Type of Report and Period Covered. State interim, final, etc., and, if applicable, inclusive dates.
14. Performing Organization Code. Leave blank.
15. Supplementary Notes. Enter information not included elsewhere but useful, such as: Prepared in cooperation with . . . Translation of . . . Presented at conference of . . . To be published in . . . When a report is revised, include a statement whether the new report supersedes or supplements the older report.
16. Abstract. Include a brief (200 words or less) factual summary of the most significant information contained in the report. If the report contains a significant bibliography or literature survey, mention it here.
17. Document Analysis. (a). Descriptors. Select from the Thesaurus of Engineering and Scientific Terms the proper authorized terms that identify the major concept of the research and are sufficiently specific and precise to be used as index entries for cataloging.  
(b). Identifiers and Open-Ended Terms. Use identifiers for project names, code names, equipment designators, etc. Use open-ended terms written in descriptor form for those subjects for which no descriptor exists.  
(c). COSATI Field/Group. Field and Group assignments are to be taken from the 1964 COSATI Subject Category List. Since the majority of documents are multidisciplinary in nature, the primary Field/Group assignment(s) will be the specific discipline, area of human endeavor, or type of physical object. The application(s) will be cross-referenced with secondary Field/Group assignments that will follow the primary posting(s).
18. Distribution Statement. Denote public releasability, for example "Release unlimited", or limitation for reasons other than security. Cite any availability to the public, with address, order number and price, if known.
19. & 20. Security Classification. Enter U.S. Security Classification in accordance with U.S. Security Regulations (i.e., UNCLASSIFIED).
21. Number of pages. Insert the total number of pages, including introductory pages, but excluding distribution list, if any.
22. Price. Enter price in paper copy (PC) and/or microfiche (MF) if known.

## SUMMARY

The research described in this report was undertaken in response to an increasing need for methods of analysis that will adequately measure the value of flexibility in decision making. Decision flexibility is defined as the ability to modify a decision in accordance with changing information. This capability is more essential than ever in our rapidly evolving world, in which technology has resulted in an "information explosion."

Although the value of flexibility has long been recognized by decision makers, decision analysis theory has had little to say on the subject. More importantly, there is a growing concern that because of inherent limitations, current methods of analysis tend to produce plans with insufficient flexibility. Therefore, current planning methods should be expanded to enable decision analysts and decision makers to develop decision strategies with adequate flexibility.

The first step toward developing methods that accurately represent the value of flexibility is to understand how the value of flexibility depends on characteristics of the decision environment. To improve the understanding of the value of flexibility, a problem example concerning the choice of decision flexibility has been designed and analyzed. The results of that analysis, and the conclusions drawn from it are contained in this report. The principal result is elucidation of just how the desired level of flexibility varies with the cost of retaining it, uncertainty as reflected in the decision maker's prior state of knowledge, information flow, and the cost of decision error.

There are three sections to the report. Section 1 explains the failure of current planning methods to accurately represent the value of flexibility. Section 2 describes the example presented herein and its analysis. Section 3 draws conclusions and suggests directions for further research.

|                    |             |      |      |
|--------------------|-------------|------|------|
| Accession For      | STIS        | ORAI | 1000 |
|                    | DTIC        | TR   |      |
|                    | Unannounced |      |      |
| Justification      |             |      |      |
| By                 |             |      |      |
| Distribution/      |             |      |      |
| Availability Codes |             |      |      |
| Avail and/or       |             |      |      |
| Ext                |             |      |      |
| Special            |             |      |      |

A

## CONTENTS

|  |        |
|--|--------|
| SUMMARY . . . . .  | iv     |
| ACKNOWLEDGEMENTS . . . . .   | vii    |
| <br>1    NEED FOR METHODS THAT ACCURATELY REPRESENT THE VALUE OF<br>FLEXIBILITY IN DECISION ANALYSIS . . . . . | <br>1  |
| 1.0 Introduction . . . . .   | 1      |
| 1.1 Distinction Between Flexible Strategies, Compromises,<br>and Hedges . . . . .                              | 1      |
| 1.2 Increasing Importance of Flexibility in Decision-Making . . .  | 2      |
| 1.3 Current Decision Analysis Methods Lead to Decisions<br>with Insufficient Flexibility . . . . .             | 2      |
| 1.4 Need for Methods That Accurately Represent the Value<br>of Decision Flexibility . . . . .                  | 4      |
| <br>2    DECISION PROBLEM: EXAMPLE REQUIRING A CHOICE OF<br>FLEXIBILITY . . . . .                              | <br>6  |
| 2.1 A Thumbtack-Tossing Problem . . . . .  | 6      |
| 2.2 Characteristics Relevant to the Value of Decision<br>Flexibility . . . . .                                 | 7      |
| 2.3 Solution to the Thumbtack Example . . . . .  | 9      |
| 2.4 Overconfidence and the Neglect of Revealed State Variables<br>Lead to Insufficient Flexibility . . . . .   | 18     |
| <br>3    CONCLUSION AND AREAS FOR FURTHER RESEARCH . . . . .   | <br>21 |
| 3.1 Conclusions . . . . .  | 21     |
| 3.2 Techniques for Reducing the Tendency to Produce Inflexible<br>Decision Strategies . . . . .                | 22     |
| <br>Appendix    MATHEMATICAL SOLUTION TO THE THUMBSTACK-TOSSING<br>EXAMPLE . . . . .                           | <br>25 |
| REFERENCES . . . . .   | 29     |
| DISTRIBUTION LIST . . . . .  | 30     |

## ILLUSTRATIONS

|    |   |    |
|----|---|----|
| 1  | Thumbtack Positions . . . . .   | 6  |
| 2  | Beta Distributions for Various Parameters ( $r_o$ , $m_o$ ) . . . .   | 10 |
| 3  | Optimal Range of Flexibility Versus Cost of Flexibility<br>for a Symmetrical Prior Probability Distribution . . . . .     | 12 |
| 4  | Optimal Range of Flexibility Versus Cost of Flexibility<br>for an Asymmetrical Prior Probability Distribution . . . . .   | 13 |
| 5  | Components of Expected Loss Versus Degree of Flexibility<br>Chosen (Symmetrical Prior Probability Distribution) . . . . . | 15 |
| 6  | Value per Unit of Additional Flexibility for Different<br>Costs of Flexibility . . . . .                                  | 16 |
| 7  | Value per Unit of Additional Flexibility When Differing<br>Amounts of Information Are Expected . . . . .                  | 17 |
| 8  | Value per Unit of Additional Flexibility Under Differing<br>Amounts of Prior Information . . . . .                        | 17 |
| 9  | Loss Resulting from an Overly Narrow Prior Distribution<br>with Parameters $m_o'$ , $r_o'$ (Overconfidence) . . . . .     | 19 |
| 10 | Loss Resulting from Failing to Anticipate $m'$ Trial Thumb-<br>tack Flips (Underestimation of Information) . . . . .      | 20 |



#### ACKNOWLEDGEMENTS

"This research was supported by the Advanced Research Projects Agency of the Department of Defense and was monitored by the Office of Naval Research (ONR-N00014-78-C-0100) under subcontract from Decisions and Design, Inc."

The problem analyzed in this report was designed by M. W. Merkhofer, William Saade, and Burke Robinson. Problem analysis and solution were performed by William Saade.

# 1 NEED FOR METHODS THAT ACCURATELY REPRESENT THE VALUE OF FLEXIBILITY IN DECISION ANALYSIS

## 1.0 Introduction

Flexibility is commonly defined as the capability to respond to a changing environment. A rod is flexible if it bends to compensate for forces applied to it. Similarly, a decision strategy is flexible if it can be adjusted to compensate for changes in the decision maker's state of information regarding the decision environment.

## 1.1 Distinction Between Flexible Strategies, Compromises, and Hedges

A simple example devised from Howard's "Party Problem"<sup>[1]</sup> can be used to illustrate the distinction between a compromise, a hedge, and a flexible strategy. According to the example, a host must decide whether to hold a party outdoors or indoors, given uncertainty about the weather. If the sun shines, the guests would prefer to be outdoors and, in any case, holding the party indoors would be somewhat inconvenient. If it rains, however, being indoors is clearly preferable. A friend suggests three additional alternatives: a compromise, a hedge, and a flexible strategy. The compromise is to hold the party on the porch. Although not as good as outdoors, if it is sunny, or as indoors, if it rains, holding the party on the porch is acceptable in either case. The hedge is to set up the bar and hors d'oeuvres outdoors and serve dinner indoors. One element of the hedge pays off regardless of the uncertain outcome: if the sun shines, the guests will be disappointed only because they have to eat dinner inside the house; if it rains, at least dinner will be a success. The flexible strategy is to plan an outdoor party, but prepare for an indoor one as well. If it starts to rain, the entire party can easily be moved inside.

Flexible strategies, compromises, and hedges, are useful in situations of uncertainty. The key difference is that hedges and compromises are options that make the worst outcome a little bit better at the

expense of making the best outcome a little bit worse. A flexible strategy, on the other hand, justifies the cost of keeping options open by the expectation that additional information will permit the decision to be made more effectively later.

### 1.2 Increasing Importance of Flexibility in Decision-Making

At least three trends in society are contributing to an increasing awareness by managers of the importance of retaining flexibility in their decisions. First, technology provides the decision-maker with more information than ever before. Decision-makers should, therefore, retain more decision flexibility to effectively use this information. Second, because of an accelerating rate of technological and social change, plans or policies instituted by decision-makers are more likely than in the past to become rapidly outdated. Decisions with long-term impacts should therefore be adaptive if frequent shifts in strategy are to be avoided. Third, greater awareness of public issues has led to an increasing demand for excellence. Concerned parties, as well as the decision maker's superiors, are less likely to be forgiving of mistakes. To keep the confidence of others, the decision-maker should avoid rigidity in his thinking; he should retain the capacity to modify a plan or course of action in response to a changing environment.

### 1.3 Current Decision Analysis Methods Lead to Decisions with Insufficient Flexibility

Current methods of planning that use decision analysis often lead to decisions with inadequate flexibility, because the decision models seriously underestimate the uncertainties that may affect the decision. The logic of this reasoning will become clear as we review what has been learned about the concept of flexibility from earlier research.

### 1.3.1 The Value of Decision Flexibility Depends on the Anticipated Resolution of Uncertainty

That flexibility is motivated by uncertainty has long been recognized. Nearly 20 years ago economist W. J. Baumal<sup>[2]</sup> suggested that, "the existence of uncertainty will lead to the (increased) use of equipment whose scale of operation is flexible." This observation was refined by Hart<sup>[3]</sup>, who argued that the desire to retain flexibility should be related to the rate of information accumulation over time.

Merkhofer<sup>[4]</sup> applied concepts of decision analysis to quantify the relationship between flexibility and information. The number of alternatives available for a decision was chosen as a measure of the decision's flexibility--and the value of information calculation used in decision analysis was expanded to provide a means for placing an economic value on flexibility. Although the research investigated flexibility in the context of a very simple decision situation, it showed clearly that the value of retaining decision flexibility is directly related to the amount of information expected by the decision maker prior to his commitment of resources. The more information expected, the greater the value of retaining flexibility will be. The fact that the flexibility is valued according to the anticipated resolution of uncertainty means that it will be undervalued if uncertainty is underestimated.

### 1.3.2 Uncertainty is Typically Underestimated in Decision Analysis

In a decision analysis, uncertainties are identified and represented in an explicit model. The model frequently takes the form of a decision tree. Solution of the decision tree yields a strategy--an initial action plus a decision rule for subsequent decisions--that takes account of the effectiveness given the occurrence of various uncertain events as well as the likelihood of those events. If all future uncertainties that may affect the strategy are anticipated and explicitly included in the analysis, the solution to the decision tree should yield the strategy with the desired level of flexibility. In practice, however, significant uncertainties are typically omitted from the analysis.

There are two reasons decision analyses usually fail to account for all significant uncertainties faced by the decision maker. First, anticipating all the uncertainties that may affect a decision is difficult, if not impossible. In military planning, for example, defense systems may be operational for ten, twenty, or more years following implementation. The military environment is so diverse and dynamic that the planner cannot be expected to foresee all the events that may affect his decision over such a long period. Events that frequently take the planner by surprise include changes in political constraints, unexpected developments in technology, and shifts in the level of military appropriations. Such events are often difficult to predict; for instance, it is not surprising that military planners a decade ago failed to include the possibility of a costly all-volunteer army in their computation of manpower costs.

Recognizing the uncertainties that may influence a decision is only part of the problem. The second reason that decision analyses fail to represent all relevant uncertainties is that limited resources make simplification necessary. Even if the analyst is aware of all uncertainties, time and budget constraints make it impossible to delineate all possible contingencies. Less important uncertainties and detailed subsequent decisions are not explicitly represented in the decision tree. Consequently, the model developed for the analysis substantially underestimates the true uncertainty in the decision environment. Moreover, the value of a flexible decision strategy (initial decisions that leave many options open) is underestimated, and the analysis often yields an overly constrained and potentially high-risk course of action. Because only a small fraction of the actual uncertainty in future events can be encompassed in any given decision model, the use of that model for decision making yields an insufficiently flexible strategy.

#### 1.4 Need for Methods That Accurately Represent the Value of Decision Flexibility

Military planners have already commented on the need for procedures and methodology that rectify the tendency of current planning methods to

lead to inflexible decisions. For example, in his keynote address to the 37th Military Operations Research Symposium, Dr. Seth Bonder stated: "I believe we... must redirect our focus from the classic cost-effectiveness philosophy and criteria to a related but philosophically different criterion--that of maximizing system and force versatility." Rather than throw out the present methods for analysis, procedures should be developed to improve those methods so as to represent the value of decision flexibility accurately.

#### 1.4.1 Purpose of the Research

The first step toward the development of methods that accurately represent the value of flexibility is to understand how that value depends on characteristics of the decision environment. The following section of this report, Section II, describes a decision problem that was designed and analyzed to explore the importance of flexibility in a learning environment. The purpose of the example is to indicate how characteristics of the decision situation, such as the decision maker's prior state of knowledge and anticipated information affect the decision of retaining flexibility. Section III discusses some approaches to accomplishing the ultimate objective of this research: the development of techniques that reduce the tendency of traditional decision analysis methods to produce inflexible decision strategies.

## 2 DECISION PROBLEM EXAMPLE REQUIRING A CHOICE OF FLEXIBILITY

This section describes a simple decision problem example designed to explore the flexibility desired by a decision maker as a function of various problem parameters. We first describe the example, which has been discussed in slightly different form by Howard<sup>[5]</sup>, and point out the special features that make it relevant to many real world problems. The later subsections describe its solution and interpret the results.

### 2.1 A Thumbtack-Tossing Problem

Suppose that an eccentric millionaire with a taste for gambling offers you the chance to participate in a thumbtack-tossing game. He produces a common, ordinary thumbtack and points out that if the tack were to be dropped onto a large flat surface it would come to rest in one of two landing positions, which are labeled "heads" and "tails" as shown in Figure 1. The object of the game is to guess the fraction



FIGURE 1 THUMB TACK POSITIONS

of times,  $\phi$ , that the tack will come to rest in a "heads" position. To encourage you to play, he offers a large sum of money, but points out that there are some additional rules:

1. To obtain the "true" fraction of heads,  $\phi$ , the tack will be sent to a reputable research laboratory where it will be tossed a great number of times (say, ten million).

2. You are allowed to toss the thumbtack  $m$  times before making your guess.
3. Your guess,  $g$ , is constrained to lie between two values,  $a$  and  $b$ , which you select before you begin tossing the tack.
4. Your payoff for playing the game is

$$K_1 - K_2 (b-a) - K_3 (g-\phi)^2$$

In other words, you get an amount of money for playing,  $K_1$ , but you give up an amount equal to  $K_2$  dollars times the range you allow for your guess, plus an amount equal to  $K_3$  times the square of the difference between the value you guess and the true value.

The objective of the analysis is to determine the values of  $a$  and  $b$  and the guess,  $g$ , that maximize your expected gain when playing the game. Intuitively, how should your selected range of flexibility,  $a$  to  $b$ , change if the number of trial flips,  $m$ , were increased? If the cost parameter  $K_3$  were decreased, how should that affect your choice? Should the flexibility desired by someone familiar with thumbtacks be very different from that of someone with little prior knowledge? These questions are answered in Section 2.3.

Before discussing the results, Section 2.2 points out the characteristics of the thumbtack tossing example that make it relevant to real-world decisions involving flexibility. The next section also describes some additional assumptions upon which the solution is based.

## 2.2 Characteristics Relevant to the Value of Decision Flexibility

The thumbtack tossing example stated above contains, in simplified form, many factors that are present in real-world decisions involving a choice of decision flexibility. These are briefly discussed in subsections below.



### 2.2.1 Retaining Flexibility is Often Costly

Keeping options open usually costs something. In the thumbtack-tossing example the primary decision to be made is your guess,  $g$ , as to the fraction of times the thumbtack will come up heads. Flexibility will be defined as the range of allowed guesses,  $b-a$ . The cost of flexibility,  $K_2(b-a)$ , is assumed to be linearly related to the magnitude of the range. The parameter  $K_2$  can be varied to investigate the effect of the cost of flexibility on the decision.

Many decision problems relating to system development have a structure very similar to the preceding example. In the development of a new generation of missiles, for example, desired propulsion system characteristics may depend on many factors that will not be known precisely until payload, guidance system, and airframe have been selected and tested. The risk of having to compromise performance because of an inadequate propulsion system can be decreased by developing several alternative propulsion system designs simultaneously. Although conducting research and development in several competing technologies is an effective way to maintain flexibility, costs increase approximately in proportion to the number of alternative designs that are developed.

### 2.2.2 Information Improves over Time

The motivation for delaying the commitment to a specific alternative is the hope that better information will be available later. The tendency for information to improve over time is represented in the example by the  $m$  trial tosses of the thumbtack that the decision maker is allowed to see before making a guess. The sensitivity of the decision to the amount of information can be checked by varying the number of trial tosses  $m$ . In a more realistic decision problem, accruing information could consist of intelligence concerning enemy actions, the results of experiments or testing, or natural events such as weather.

### 2.2.3 The Inability to Select the Best Alternative Entails a Cost

In any decision problem there will be some opportunity cost associated with selecting the wrong alternative. The cost of error

can take many functional forms. In the thumbtack-tossing example the cost of guessing wrong is assumed to be proportional to the square of the error,  $K_3(\phi-g)^2$ . Because of its simplicity, a quadratic cost function such as this is frequently used to approximate more complicated relationships. The parameter  $K_3$  can be varied to gauge the sensitivity of the decision to the cost of decision error.

#### 2.2.4 The Decision-Maker Brings to Each Decision a Prior State of Information

The desirability of retaining flexibility is clearly related to the decision-maker's state of information. If he is confident that additional data will not change his decision, then flexibility has little value.



In the thumbtack-tossing example the decision-maker's prior state of information concerning the fraction of heads is assumed to be represented by a probability distribution. Several techniques have been developed for encoding such a distribution. To be specific, we assume that it is well approximated by a beta distribution, which represents a family of functions characterized by two parameters,  $m_0$  and  $r_0$ . By varying  $m_0$  and  $r_0$ , we can obtain a large number of different shapes for the probability density function. Some of these are shown in Figure 2. It is useful to note that the mean and variance of the beta distribution are

$$\text{mean} = \frac{r_0}{m_0}, \quad \text{variance} = \frac{r_0}{m_0} \left(1 - \frac{r_0}{m_0}\right) \frac{1}{m_0 + 1}$$

Roughly speaking, as  $m_0$  increases uncertainty decreases; this is shown in Figure 2 by the fact that the distributions become narrower for larger values of  $m_0$ . Thus, by varying the parameters  $m_0$  and  $r_0$ , one can investigate the sensitivity of the decision to variations in the decision-maker's prior state of information.

### 2.3 Solution to the Thumbtack Example

As shown in the appendix, the strategy that maximizes the expected value of the thumbtack game involves a guess regarding the fraction




SOURCE: SRI International

FIGURE 2 BETA DISTRIBUTIONS FOR VARIOUS PARAMETERS ( $r_0$ ,  $m_0$ )

of heads that depends on the posterior mean of the beta distribution. The posterior mean is the expected value of the distribution describing the fraction of heads, updated by the number of heads obtained in the  $m$  trial tosses. If the posterior mean lies between  $a$  and  $b$ , the best guess for the fraction of heads is the posterior mean. If the posterior mean lies below  $a$ , the best guess is  $a$ ; if the posterior mean lies above  $b$ , the best guess is  $b$ .

Before seeing the results of  $m$  flips of the thumbtack, the decision-maker must select his degree of flexibility ( $a$  and  $b$ ). The best choices for  $a$  and  $b$  depend on the number of trial flips ( $m$ ), the cost of flexibility relative to the cost of decision error ( $K_2/K_3$ ), and the prior distribution for the fraction of heads, as described by the parameters  $m_0$  and  $r_0$ . Figures 3 and 4 show how optimal flexibility varies with  $m$  and the ratio  $K = K_2/K_3$  for typical prior distributions. Figure 3 assumes that the decision-maker's uncertainty is characterized by the symmetric prior distribution for the fraction of heads shown in Figure 2 with  $m_0=6$ ,  $r_0=3$ . Figure 4 assumes the asymmetric prior distribution shown in Figure 2 with  $m_0=3$ ,  $r_0=1$ . A number of interesting characteristics can be observed.

1. The optimal range of flexibility ( $b-a$ ) increases in proportion to the number of trial tosses ( $m$ ). Thus, the desired degree of flexibility increases as the amount of expected information increases. This result is consistent with the earlier research cited in Section 1.3.1.
2. If no information is expected ( $m=0$ ), there is no incentive to retain flexibility ( $a=b$ ). Thus, flexibility has value only if the decision-maker expects uncertainty to be resolved before he has to make his decision.
3. Optimal flexibility diminishes as the ratio of the cost of flexibility to the cost of decision error ( $K = K_2/K_3$ ) increases.
4. Even when the cost of flexibility is zero ( $K=0$ ), the range of flexibility is not necessarily maximized (by setting  $a=0$ ,  $b=1$ ). In fact, when the cost of flexibility is zero, optimal



SOURCE: SRI International

FIGURE 3 OPTIMAL RANGE OF FLEXIBILITY VERSUS COST OF FLEXIBILITY FOR A SYMMETRICAL PRIOR PROBABILITY DISTRIBUTION




FIGURE 4 OPTIMAL RANGE OF FLEXIBILITY VERSUS COST OF FLEXIBILITY FOR AN ASYMMETRICAL PRIOR PROBABILITY DISTRIBUTION


a and b correspond to the minimum and maximum conceivable guesses (a is the value that should be guessed if the trial tosses produced no heads, while b is the value that should be guessed if every trial toss were a head). It makes no sense to retain flexibility on options that will never be selected.

5. If the cost of flexibility is high enough in relation to the cost of decision error, the optimal strategy is to retain no flexibility and to immediately guess the prior mean ( $a=b=g$ ).
6. Comparison of Figures 3 and 4 shows the similarity between the case of a symmetrical prior distribution and that of its asymmetrical counterpart. In general, if the decision maker has greater prior information ( $m_0$  increases), the desired range of flexibility is narrowed. (This will be illustrated more clearly in Figure 9.)

#### 2.3.1 Value per Unit of Additional Flexibility

In the thumbtack-tossing example, as in many decision situations, selecting the appropriate amount of decision flexibility requires a trade-off between the cost of flexibility and the cost of decision error. Increasing flexibility costs money, but also increases the likelihood that a good alternative can be selected later. Figure 5 illustrates the trade-off. The figure shows the two cost terms in the payoff plotted as a function of the upper bound b on the flexibility range. As noted earlier, the cost of flexibility is assumed to increase linearly with range. The expected loss resulting from decision error is also illustrated. As shown in the figure, the optimal choice for b is the value that minimizes the sum of the two cost components.

Greater insight into the value of flexibility can be obtained by plotting the slope of the game's expected value as a function of b. The slope indicates the value per unit of additional flexibility.




SOURCE: SRI International

FIGURE 5 COMPONENTS OF EXPECTED LOSS VERSUS DEGREE OF FLEXIBILITY CHOSEN (SYMMETRICAL PRIOR PROBABILITY DISTRIBUTION)




Figure 6 shows how the value per unit of additional flexibility



SOURCE: SRI International


FIGURE 6 VALUE PER UNIT OF ADDITIONAL FLEXIBILITY FOR DIFFERENT COSTS OF FLEXIBILITY

declines with increasing flexibility. For fixed flexibility  $b$ , this value also declines with the cost of flexibility ( $K$ ). Since the optimal value for  $b$  corresponds to the point at which the plot crosses the  $x$  axis, it is again apparent that the desired amount of flexibility decreases with its cost. Figure 7 shows how the value per unit of additional flexibility increases with increasing  $m$ , while Figure 8 shows how the value per unit of additional flexibility declines with increasing  $m_0$ . From these plots it can be concluded that the value of flexibility rises with an increase in the amount of expected information, but goes down as the degree of prior knowledge increases.



SOURCE: SRI International

FIGURE 7 VALUE PER UNIT OF ADDITIONAL FLEXIBILITY WHEN DIFFERING AMOUNTS OF INFORMATION ARE EXPECTED




SOURCE: SRI International

FIGURE 8 VALUE PER UNIT OF ADDITIONAL FLEXIBILITY UNDER DIFFERING AMOUNTS OF PRIOR INFORMATION

#### 2.4 Overconfidence and the Neglect of Revealed State Variables Lead to Insufficient Flexibility


The thumbtack-tossing example can be used to demonstrate the tendency to select decision strategies that are insufficiently flexible. Figure 9 shows the effect of assuming a too narrow prior distribution. The lower curve is the expected loss from flexibility cost and decision error that would be computed if an overly narrow prior distribution, with parameters  $m_0'$  and  $r_0'$ , is assumed rather than a "correct" prior distribution, with parameters  $m_0$  and  $r_0$ . As illustrated in the figure, the result is the selection of a lower degree of flexibility  $b^*(m_0', r_0')$  than that which would be produced if the proper prior distribution were used,  $b^*(m_0, r_0)$ . Because distributions assessed from individuals are often too narrow (see reference [6]) there is a tendency to select decision strategies with insufficient flexibility.

Figure 10 shows the effect of ignoring information. The top curve is the expected loss that would be computed if  $m$  trial thumbtack tosses are assumed. If, in fact,  $m+m'$  tosses occur, the decision maker has more information than he anticipated. The upper curve is the expected cost that should have been computed. Again, the result is the selection of a degree of flexibility  $b^*(m)$  that is less than the desired level  $b^*(m+m')$ . Overlooking or ignoring information thus results in decision strategies with insufficient flexibility.



SOURCE: SRI International

FIGURE 9 LOSS RESULTING FROM AN OVERLY NARROW PRIOR DISTRIBUTION WITH PARAMETERS  $m'_o, r'_o$ . (OVERCONFIDENCE)



SOURCE: SRI International

FIGURE 10 LOSS RESULTING FROM FAILING TO ANTICIPATE  $m'$  TRIAL THUMBTRACK FLIPS (UNDERESTIMATION OF INFORMATION)

### 3 CONCLUSION AND AREAS FOR FURTHER RESEARCH

An example of the selection of decision flexibility has been defined and analyzed. Although highly simplified, the example does embody several important characteristics relevant to the choice of decision flexibility in more realistic situations. A sensitivity analysis was conducted to investigate the importance of the cost of retaining flexibility, the accumulation of information over time, the cost of being unable to select the best alternative, and the prior information possessed by the decision maker.

#### 3.1 Conclusions

Analysis of the example supports the following assertions:

1. Decision flexibility is most valuable when receipt of important information is anticipated prior to the final commitment of resources. Decision flexibility has no value if it is impossible for the decision-maker to receive information that could change the decision.
2. The greater the decision-maker's initial uncertainty, the greater is the value of retaining flexibility. As his uncertainty is reduced, so does the value of flexibility.
3. The optimal level of decision flexibility will increase if the cost of flexibility goes down or the cost of decision error rises.
4. Overconfidence, or the observed tendency of subjective probability distributions to be too narrow, and the failure to model completely the uncertainty in a decision analysis both contribute to the selection of decision strategies with insufficient flexibility.

### 3.2 Techniques for Reducing the Tendency to Produce Inflexible Decision Strategies

The awareness that conventional methods of analysis promote decision strategies with insufficient flexibility suggests a need for additional research. The goal of this research should be the development of procedures for generating and realistically evaluating flexible decision strategies. Although not formally part of this effort, the results derived from analysis of the example confirm the feasibility of developing more reliable evaluation techniques.

Some indication as to whether an analysis has incorrectly favored an inflexible strategy can be obtained by investigating the difference between the expected value of the inflexible strategy and the expected value of the flexible strategy. As in the example, the flexible strategy is defined as an initial decision that culminates in a larger number of choices for subsequent decisions. If the difference in expected values is a small percentage of the value of the decision (i.e., the inflexible decision is not much better than the flexible one), it is probably reasonable to assume that the value of flexibility not represented in the analysis is sufficient to motivate the selection of the flexible decision. On the other hand, if the difference in expected values is considerable, the additional value of flexibility not represented in the analysis is probably not sufficient to motivate selection of the flexible decision.

If the difference between the expected value of the alternative with the highest expected value and that of a more flexible decision is of moderate magnitude, it is useful to explore the sensitivity of that difference to changes in model assumptions. Suppose the difference in expected values between an inflexible and a flexible strategy is  $\Delta v$ .<sup>\*</sup> The concern is that if the decision model were expanded to include

---

<sup>\*</sup> If the risk attitude of the decision-maker has been represented in the analysis through the encoding of a utility function, the comparison to be made is between the expected utilities and certain equivalents of the strategies rather than their expected values. See reference [7] for a discussion of utility theory.

additional uncertainties,  $\Delta v$  would become smaller and perhaps change signs; that is, a more accurate representation of uncertainty might indicate that the flexible strategy is the one with the highest expected value.

The sensitivity of  $\Delta v$  to overconfidence can be explored by increasing the spread of distributions of critical state variables (by some suitable transformation) both individually and jointly, and then observing the effect on  $\Delta v$ . If  $\Delta v$  rapidly decreases with the spread of critical distributions, a more careful representation of uncertainty may be called for.

Sensitivity to the omission of state variables is more difficult to check, but there may be ways to obtain an approximate indication as to whether the omission might be leading to a strategy with insufficient flexibility. One approach is to construct dummy state variables to represent the occurrence of events not yet represented in the analysis. The dummy events could be defined in terms of their influence on decision outcomes. For example, the path through the tree which contributes the most to the expected value of the inflexible strategy could be identified and the question posed: "Is it possible that some event might cause the outcomes associated with this path to be significantly worse than previously estimated?"\* Checklists derived from previous, similar decisions could be used to help in the identification of omitted events and their probabilities. If the inclusion of "surprise" events defined in this way significantly reduces  $\Delta v$ , the analyst has an indication that further modeling may be necessary to accurately represent the value of flexible decision strategies.

More research is necessary to develop methods to ensure the accurate valuing of flexibility in the analysis of decisions. Procedures are needed for generating flexible decision strategies and for comparing the value of such strategies with the value of strategies with less

---

\* Research on decision structuring currently being conducted by SRI International is investigating the feasibility of identifying surprise events through this approach. See Merkhofer et al, [8].



flexibility. It is hoped that the research that has been described here helps to motivate additional work and suggests some fruitful avenues for exploration.

## Appendix

### MATHEMATICAL SOLUTION TO THE THUMBTACK-TOSSING EXAMPLE

Following the notation in the main text, let  $g$  denote the value guessed for the long-run fraction of heads for tossed thumbtacks. The decision maker is paid an amount  $K_1$  for playing the game. The guess  $g$  is constrained to lie between values  $a$  and  $b$ . Depending on his selected values for  $a$  and  $b$ , he deducts an amount  $K_2(b-a)$  from his pay. After selecting  $a$  and  $b$ , but before making his guess, the decision maker is allowed to see  $m$  sample tosses of the thumbtack.

To clarify the solution techniques, inferential notation will be used. If  $x$  is a random variable,  $\{x|\zeta\}$  denotes the probability density function of  $x$  given the state of knowledge  $\zeta$ .  $\epsilon$  denotes the state of knowledge available at the beginning of the problem. The expectation of  $x$  based on  $\zeta$  is denoted  $\langle x|\zeta \rangle$ .

For given values of  $a$ ,  $b$ ,  $m$ , and  $r$ , the decision maker must choose his guess,  $g$ , to maximize

$$\langle v|m,a,b,r,g,\epsilon \rangle = K_1 - K_2(b-a) - K_3 \langle (\phi - g)^2 | m,a,b,r,g,\epsilon \rangle ,$$

which implies an optimal guessing strategy

$$g^* = \begin{cases} a & \text{if } \langle \phi | m,r,\epsilon \rangle < a \\ \langle \phi | m,r,\epsilon \rangle & \text{if } a \leq \langle \phi | m,r,\epsilon \rangle \leq b \\ b & \text{if } b < \langle \phi | m,r,\epsilon \rangle \end{cases} .$$

Since  $r$  may take any value from 0 to  $m$ ,  $a$  and  $b$  must be chosen to maximize

$$\langle v|m,a,b,\epsilon \rangle = \sum_{r=0}^m \langle v|m,a,b,r,g^*,\epsilon \rangle \{r|m,\epsilon\} ,$$

where

$$\langle v|m,a,b,r,g^*,\epsilon\rangle = K_1 - K_2(b-a) - K_3 \begin{cases} \langle(\phi-a)^2|r,m,\epsilon\rangle & \text{if } \langle\phi|r,m,\epsilon\rangle < a \\ \langle(\phi-\langle\phi|r,m,\epsilon\rangle)^2|r,m,\epsilon\rangle & \text{if } a \leq \langle\phi|r,m,\epsilon\rangle \leq b \\ \langle(\phi-b)^2|r,m,\epsilon\rangle & \text{if } b < \langle\phi|r,m,\epsilon\rangle \end{cases}.$$

Since

$$\langle\phi|r,m,\epsilon\rangle = \frac{r+r_0}{m+m_0},$$

for  $r < a(m+m_0) - r_0 = r_1$  and  $r < b(m+m_0) - r_0 = r_2$ , we have, respectively,  $\langle\phi|r,m,\epsilon\rangle < a$  and  $\langle\phi|r,m,\epsilon\rangle > b$ . Thus

$$\begin{aligned} \langle v|m,a,b,\epsilon\rangle = & K_1 - K_2(b-a) - K_3 \left\{ \sum_{r=0}^{r_1} \langle(\phi-a)^2|r,m,\epsilon\rangle \{r|m,\epsilon\} \right. \\ & + \sum_{r=r_1}^{r_2} \langle(\phi-\langle\phi|r,m,\epsilon\rangle)^2|r,m,\epsilon\rangle \{r|m,\epsilon\} \\ & \left. + \sum_{r=r_2}^m \langle(\phi-b)^2|r,m,\epsilon\rangle \{r|m,\epsilon\} \right\}. \end{aligned} \quad (1)$$

Letting

$$\Theta(x) = \begin{cases} 0 & x < 0 \\ \frac{1}{2} & x = 0 \\ 1 & x > 0 \end{cases}$$

be the unit step,

$$\begin{aligned} \langle v|m,a,b,\epsilon\rangle = & K_1 - K_2(b-a) - K_3 \left\{ \sum_{r=0}^m \left[ \langle(\phi-a)^2|r,m,\epsilon\rangle \Theta(r_1-r) \right. \right. \\ & + \langle(\phi-\langle\phi|r,m,\epsilon\rangle)^2|r,m,\epsilon\rangle \Theta(r-r_1) \Theta(r_2-r) \\ & \left. \left. + \langle(\phi-b)^2|r,m,\epsilon\rangle \Theta(r-r_2) \right] \{r|m,\epsilon\} \right\}. \end{aligned}$$

Taking the derivative with respect to  $a$  and setting the result equal to zero,

$$\begin{aligned} \frac{\partial \langle v | m, a, b, \epsilon \rangle}{\partial a} = K_2 - K_3 \left\{ \sum_{r=0}^m \left[ -2(\phi - a) |r, m, \epsilon \rangle \delta(r_1 - r) \right. \right. \\ \left. \left. + (\phi - a)^2 |r, m, \epsilon \rangle \delta(r_1 - r) (m + m_0) \right. \right. \\ \left. \left. - (\phi - \langle \phi | r, m, \epsilon \rangle)^2 |r, m, \epsilon \rangle \delta(r - r_1) \delta(r_2 - r) (m + m_0) \right] \langle r | m, \epsilon \rangle \right\}. \end{aligned}$$

Since  $\langle \phi | r_1, m, \epsilon \rangle = a$ , the second and third terms cancel.

$$\begin{aligned} \frac{\partial \langle v | m, a, b, \epsilon \rangle}{\partial a} = K_2 - 2K_3 \left[ \sum_{r=0}^{r_1} [a - \langle \phi | r, m, \epsilon \rangle] \langle r | m, \epsilon \rangle \right] \\ = K_2 - 2K_3 \left[ \sum_{r=0}^{r_1} \left[ a - \frac{r + r_0}{m + m_0} \right] \langle r | m, \epsilon \rangle \right] = 0, \end{aligned}$$

or, in terms of  $r_1$ , only

$$\sum_{r=0}^{r_1} (r_1 - r) \langle r | m, \epsilon \rangle = \frac{K_2}{2K_3} (m + m_0). \quad (2)$$

The derivative is continuous, since the left-hand side of this equation is continuous in  $r_1$ . A similar equation results when we set the derivative with respect to  $b$  equal to zero:

$$\sum_{r=r_2}^m (r - r_2) \langle r | m, \epsilon \rangle = \frac{K_2}{2K_3} (m + m_0) \quad (3)$$

For the specific case where  $K_2 = 0$ , an explicit solution may be obtained:  $r_1 = 0$ ,  $r_2 = m$ , which implies

$$a^* = \frac{r_0}{m + m_0} \quad b^* = \frac{r_0 + m}{m + m_0}.$$

In the general case,  $a^*$  and  $b^*$  may be found using Newton's method to solve equations (2) and (3). The results are plotted in Figures 3 and 4. The expected value of the game, given the optimal decision strategy, is then obtained by substituting the solution into equation (1). The expression for  $\{r|m, \epsilon\}$  given by Howard [5] is

$$\{r|m, \epsilon\} = \frac{m!}{r!(m-r)!} \frac{\Gamma(m_0)}{\Gamma(r_0)\Gamma(m_0-r_0)} \frac{\Gamma(r+r_0)\Gamma(m+m_0-r-r_0)}{\Gamma(m+m_0)}$$

For the special case where  $K_2=0$  the numerical results obtained correspond to the results derived by Howard [5, eq. 55]

$$\langle v|m, a, b, K_3=0, \epsilon \rangle = K_1 - K_3 \frac{r_0(m_0-r_0)}{m_0(m_0+1)(m_0+m)} \quad .$$

## REFERENCES

1. R. A. Howard, "The Party Problem," notes for decision analysis course EES 231A, Winter 1971/72, pp 6-15.
2. W. J. Baumol, Economic Dynamics, 2nd edition, (pp. 92-93, The Macmillan Company, New York, 1959).
3. A. G. Hart, "Risk, Uncertainty, and the Unprofitability of Compounding Probabilities," Studies in Mathematical Economics and Econometrics, O. Lange, F. McIntyre, T. Yntema (eds) (University of Chicago Press, Chicago, 1942).
4. M. W. Merkhofer, Flexibility and Decision Analysis, PhD. dissertation, Department of Engineering-Economic Systems, Stanford University, June 1975.
5. R. A. Howard, "Decision Analysis: Perspectives on Inference, Decision and Experimentation," Proceedings of the IEEE, Vol. 58, No. 5, May 1970.
6. S. Lichtenstein, B. Fischhoff, and L. D. Phillips, "Calibration of Probabilities: The State of the Art," Oregon Research Institute Technical Report DDI-3, Brunel University, Eugene, Oregon (August 1976).
7. D. W. North, "A Tutorial Introduction to Decision Theory," IEEE Transactions on Systems, Science, and Cybernetics, Vol. SSC-4, No. 3, pp 200-210, September 1968.
8. M. W. Merkhofer, A. C. Miller, III, B. E. Robinson, R. J. Korsan, "Decision Structuring Aid: Characterization and Preliminary Implementation," SRI International Technical Report 5533, Menlo Park, California (September 1977).

CONTRACT DISTRIBUTION LIST  
(Unclassified Technical Reports)

|   |           |
|---|-----------|
| Director<br>Advanced Research Projects Agency<br>Attention: Program Management Office<br>1400 Wilson Boulevard<br>Arlington, Virginia 22209 | 2 copies  |
| Office of Naval Research<br>Attention: Code 455<br>800 North Quincy Street<br>Arlington, Virginia 22217                                     | 3 copies  |
| Defense Documentation Center<br>Attention: DDC-TC<br>Cameron Station<br>Alexandria, Virginia 22314  | 12 copies |
| DCASMA Baltimore Office<br>Attention: Mr. K. Gerasim<br>300 East Joppa Road<br>Towson, Maryland 21204                                       | 1 copy    |
| Director<br>Naval Research Laboratory<br>Attention: Code 2627<br>Washington, D.C. 20375   | 6 copies  |

Revised August 1978

SUPPLEMENTAL DISTRIBUTION LIST  
(Unclassified Technical Reports)

Department of Defense

Director of Net Assessment  
Office of the Secretary of Defense  
Attention: MAJ Robert G. Gough, USAF  
The Pentagon, Room 3A930  
Washington, DC 20301

Assistant Director (Net Technical Assessment)  
Office of the Deputy Director of Defense  
Research and Engineering (Test and  
Evaluation)  
The Pentagon, Room 3C125  
Washington, DC 20301

Director, Defense Advanced Research  
Projects Agency  
1400 Wilson Boulevard  
Arlington, VA 22209

Director, Cybernetics Technology Office  
Defense Advanced Research Projects Agency  
1400 Wilson Boulevard  
Arlington, VA 22209

Director, ARPA Regional Office (Europe)  
Headquarters, U.S. European Command  
APO New York 09128

Director, ARPA Regional Office (Pacific)  
Staff CINCPAC, Box 13  
APO San Francisco 96610

Dr. Don Hirta  
Defense Systems Management School  
Building 202  
Ft. Belvoir, VA 22060

Chairman, Department of Curriculum  
Development  
National War College  
Ft. McNair, 4th and P Streets, SW  
Washington, DC 20319

Defense Intelligence School  
Attention: Professor Douglas E. Hunter  
Washington, DC 20374

Vice Director for Production  
Management Office (Special Actions)  
Defense Intelligence Agency  
Room 1E863, The Pentagon  
Washington, DC 20301

Command and Control Technical Center  
Defense Communications Agency  
Attention: Mr. John D. Hwang  
Washington, DC 20301

Department of the Navy

Office of the Chief of Naval Operations  
(OP-951)  
Washington, DC 20450

Office of Naval Research  
Assistant Chief for Technology (Code 200)  
800 N. Quincy Street  
Arlington, VA 22217

Office of Naval Research (Code 230)  
800 North Quincy Street  
Arlington, VA 22217

Office of Naval Research  
Naval Analysis Programs (Code 431)  
800 North Quincy Street  
Arlington, VA 22217



Office of Naval Research  
Operations Research Programs (Code 434)  
800 North Quincy Street  
Arlington, VA 22217

Office of Naval Research  
Information Systems Program (Code 437)  
800 North Quincy Street  
Arlington, VA 22217

Director, ONR Branch Office  
Attention: Dr. Charles Davis  
536 South Clark Street  
Chicago, IL 60605

Director, ONR Branch Office  
Attention: Dr. J. Lester  
495 Summer Street  
Boston, MA 02210

Director, ONR Branch Office  
Attention: Dr. E. Gloye  
1030 East Green Street  
Pasadena, CA 91106

Director, ONR Branch Office  
Attention: Mr. R. Lawson  
1030 East Green Street  
Pasadena, CA 91106

Office of Naval Research  
Scientific Liaison Group  
Attention: Dr. M. Bertin  
American Embassy - Room A-407  
APO San Francisco 96503

Dr. A. L. Slafkosky  
Scientific Advisor  
Commandant of the Marine Corps (Code RD-1)  
Washington, DC 20380

Headquarters, Naval Material Command  
(Code 0331)  
Attention: Dr. Heber G. Moore  
Washington, DC 20360

Head, Human Factors Division  
Naval Electronics Laboratory Center  
Attention: Mr. Richard Coburn  
San Diego, CA 92152

Dean of Research Administration  
Naval Postgraduate School  
Attention: Patrick C. Parker  
Monterey, CA 93940

Superintendent  
Naval Postgraduate School  
Attention: R. J. Roland, (Code 52R1)  
C<sup>3</sup> Curriculum  
Monterey, CA 93940

Naval Personnel Research and Development  
Center (Code 305)  
Attention: LCDR O'Bar  
San Diego, CA 92152

Navy Personnel Research and Development  
Center  
Manned Systems Design (Code 311)  
Attention: Dr. Fred Muckler  
San Diego, CA 92152

Naval Training Equipment Center  
Human Factors Department (Code N215)  
Orlando, FL 32813

Naval Training Equipment Center  
Training Analysis and Evaluation Group  
(Code N-00T)  
Attention: Dr. Alfred F. Smode  
Orlando, FL 32813

Director, Center for Advanced Research  
Naval War College  
Attention: Professor C. Lewis  
Newport, RI 02840

Naval Research Laboratory  
Communications Sciences Division (Code 5403)  
Attention: Dr. John Shore  
Washington, DC 20375

Dean of the Academic Departments  
U.S. Naval Academy  
Annapolis, MD 21402

Chief, Intelligence Division  
Marine Corps Development Center  
Quantico, VA 22134

Department of the Army

Alan H. Curry  
Operations and Management Science Division  
U.S. Army Institute for Research in Management Information and Computer Science  
730 Peachtree St., N.E. (Suite 900)  
Atlanta, Georgia 30308

Deputy Under Secretary of the Army  
(Operations Research)  
The Pentagon, Room 2E621  
Washington, DC 20310

Director, Army Library  
Army Studies (ASDIRS)  
The Pentagon, Room 1A534  
Washington, DC 20310

U.S. Army Research Institute  
Organizations and Systems Research Laboratory  
Attention: Dr. Edgar M. Johnson  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Director, Organizations and Systems  
Research Laboratory  
U.S. Army Institute for the Behavioral  
and Social Sciences  
5001 Eisenhower Avenue  
Alexandria, VA 22333

Technical Director, U.S. Army Concepts  
Analysis Agency  
8120 Woodmont Avenue  
Bethesda, MD 20014

Director, Strategic Studies Institute  
U.S. Army Combat Developments Command  
Carlisle Barracks, PA 17013

Commandant, Army Logistics Management Center  
Attention: DRXMC-LS-SCAD (ORSA)  
Ft. Lee, VA 23801

Department of Engineering  
United States Military Academy  
Attention: COL A. F. Grum  
West Point, NY 10996

Marine Corps Representative  
U.S. Army War College  
Carlisle Barracks, PA 17013

Chief, Studies and Analysis Office  
Headquarters, Army Training and Doctrine  
Command  
Ft. Monroe, VA 23351

Commander, U.S. Army Research Office  
(Durham)  
Box CM, Duke Station  
Durham, NC 27706

Department of the Air Force

Assistant for Requirements Development  
and Acquisition Programs  
Office of the Deputy Chief of Staff for  
Research and Development  
The Pentagon, Room 4C331  
Washington, DC 20330

Air Force Office of Scientific Research  
Life Sciences Directorate  
Building 410, Bolling AFB  
Washington, DC 20332

Commandant, Air University  
Maxwell AFB, AL 36112

Chief, Systems Effectiveness Branch  
Human Engineering Division  
Attention: Dr. Donald A. Topmiller  
Wright-Patterson AFB, OH 45433

Deputy Chief of Staff, Plans, and  
Operations  
Directorate of Concepts (AR/XOCCC)  
Attention: Major R. Linhard  
The Pentagon, Room 4D 1047  
Washington, DC 20330

Director, Advanced Systems Division  
(AFHRL/AS)  
Attention: Dr. Gordon Eckstrand  
Wright-Patterson AFB, OH 45433

Commander, Rome Air Development Center  
Attention: Mr. John Atkinson  
Griffis AFB  
Rome, NY 13440

IRD, Rome Air Development Center  
Attention: Mr. Frederic A. Dion  
Griffis AFB  
Rome, NY 13440

HQS Tactical Air Command  
Attention: LTCOL David Dianich  
Langley AFB, VA 23665

#### Other Government Agencies

Chief, Strategic Evaluation Center  
Central Intelligence Agency  
Headquarters, Room 2G24  
Washington, DC 20505

Director, Center for the Study of  
Intelligence  
Central Intelligence Agency  
Attention: Mr. Dean Moor  
Washington, DC 20505

Mr. Richard Heuer  
Methods & Forecasting Division  
Office of Regional and Political Analysis  
Central Intelligence Agency  
Washington, DC 20505

Office of Life Sciences  
Headquarters, National Aeronautics and  
Space Administration  
Attention: Dr. Stanley Deutsch  
600 Independence Avenue  
Washington, DC 20546

#### Other Institutions

Department of Psychology  
The Johns Hopkins University  
Attention: Dr. Alphonse Chapanis  
Charles and 34th Streets  
Baltimore, MD 21218

Institute for Defense Analyses  
Attention: Dr. Jesse Orlansky  
400 Army Navy Drive  
Arlington, VA 22202

Director, Social Science Research Institute  
University of Southern California  
Attention: Dr. Ward Edwards  
Los Angeles, CA 90007

Perceptronics, Incorporated  
Attention: Dr. Amos Freedy  
6271 Variel Avenue  
Woodland Hills, CA 91364

Stanford University  
Attention: Dr. R. A. Howard  
Stanford, CA 94305

Director, Applied Psychology Unit  
Medical Research Council  
Attention: Dr. A. D. Baddeley  
15 Chaucer Road  
Cambridge, CB 2EF  
England

Department of Psychology  
Brunel University  
Attention: Dr. Lawrence D. Phillips  
Uxbridge, Middlesex UB8 3PH  
England

Decision Analysis Group  
Stanford Research Institute  
Attention: Dr. Miley W. Merkhofer  
Menlo Park, CA 94025

Decision Research  
1201 Oak Street  
Eugene, OR 97401

Department of Psychology  
University of Washington  
Attention: Dr. Lee Roy Beach  
Seattle, WA 98195

Department of Electrical and Computer  
Engineering  
University of Michigan  
Attention: Professor Kan Chen  
Ann Arbor, MI 94135

Department of Government and Politics  
University of Maryland  
Attention: Dr. Davis B. Bobrow  
College Park, MD 20747

Department of Psychology  
Hebrew University  
Attention: Dr. Amos Tversky  
Jerusalem, Israel

Dr. Andrew P. Sage  
School of Engineering and Applied Science  
University of Virginia  
Charlottesville, VA 22901

Professor Raymond Tanter  
Political Science Department  
The University of Michigan  
Ann Arbor, MI 48109

Professor Howard Raiffa  
Morgan 302  
Harvard Business School  
Harvard University  
Cambridge, MA 02163

Department of Psychology  
University of Oklahoma  
Attention: Dr. Charles Gettys  
455 West Lindsey  
Dale Hall Tower  
Norman, OK 73069

Institute of Behavioral Science #3  
University of Colorado  
Attention: Dr. Kenneth Hammond  
Room 201  
Boulder, Colorado 80309